



aspire

**MOBILE SHOWER
COMMUNE RANGE**

aspire for...

Comfort

Support

Protection




www.aspirecare.com.au
1300 133 120



Weight Bearing Platform

Commode is registered in the ARTG, AUSTRALIA ARTG 286695

Easy-slide weight bearing platform footrest slides completely away for transfers



Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x **TENTE** total locking castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|--|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC066000 | WB Platform - 460mm - Att Propelled - S/Steel | 995mm | 535mm | 460mm | 305mm | 225mm | 590mm | 560mm |
| BTC066200 | WB Platform - 460mm - Self Propelled - S/Steel | 995mm | 665mm | 460mm | 305mm | 225mm | 590mm | 560mm |
| BTC065900 | Swing Away Footrest - 460mm - Att Propelled - S/Steel | 895 - 995mm | 535mm | 460mm | 305mm | 225mm | 590mm | 560mm |
| BTC066100 | Swing Away Footrest - 460mm - Self Propelled - S/Steel | 895 - 995mm | 665mm | 460mm | 305mm | 225mm | 590mm | 560mm |

Weight Bearing Platform

Commode is registered in the ARTG, AUSTRALIA ARTG 286695

Easy-slide weight bearing platform footrest slides completely away for transfers



Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x **TENTE** total locking castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|--|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC066050 | WB Platform - 530mm - Att Propelled - S/Steel | 995mm | 605mm | 530mm | 305mm | 225mm | 590mm | 560mm |
| BTC066055 | WB Platform - 530mm - Self Propelled - S/Steel | 995mm | 735mm | 530mm | 305mm | 225mm | 590mm | 560mm |
| BTC066060 | Swing Away - 530mm - Att Propelled - S/Steel | 995mm | 605mm | 530mm | 305mm | 225mm | 590mm | 560mm |
| BTC066065 | Swing Away - 530mm - Self Propelled - S/Steel | 995mm | 735mm | 530mm | 305mm | 225mm | 590mm | 560mm |

Weight Bearing Platform

✓ Commode is registered in the ARTG, AUST R ARTG 286695




Easy-slide weight bearing platform footrest slides completely away for transfers



Integrated Features

- Heavy duty reinforced wide frame can support bariatric users up to 400kg
- 4x total locking stainless steel castors provide brake access from all angles
- Height adjustable reinforced armrests offer drop flat positioning to assist with lateral slide transfers



See page 8 for seat options (sold separately)

Swing Away Footrests



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Angle adjustable backrest from 8° to 18° for improved seating comfort




Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm



Height adjustable, swing away footrests for optimal positioning and ease of transfers

Integrated Features

- 8° backrest angle ensures patient comfort
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility

- 4x **TENTE** total locking castors provide brake access from all angles

- Self Propelled Model Available



See page 8 for seat options (sold separately)

| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|---|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC061400 | WB Platform - 600mm - Att Propelled - S/Steel | 995mm | 725mm | 600mm | 300mm | 290mm | 590mm | 560mm |
| BTC061300 | Swing Away - 600mm - Att Propelled - S/Steel | 995mm | 675mm | 600mm | 305mm | 225mm | 590mm | 560mm |
| BTC061305 | Swing Away - 600mm - Self Propelled - S/Steel | 995mm | 805mm | 600mm | 305mm | 225mm | 590mm | 560mm |

Swing Away Footrests with Calf Pad

Commode is registered in the ARTG, AUST R ARTG 286695

Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility



Height adjustable, swing away footrests with calf pads for optimal positioning, support and ease of transfers


Tool-free height adjustment to 4 settings allow the commode to be easily adapted to varying needs

Integrated Features

- 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort



- -5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process



- 4x **TENTE** total locking castors provide brake access from all angles

- Open back straps provide greater access for bathing needs

- Backrest may be configured as full length or 3/4 length to accommodate an advanced headrest



See page 8 for seat options (sold separately)

| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|-------------------------------------|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC066030 | Swing Away - 460mm - Tilt & Recline | 1315 - 1485mm | 560mm | 460mm | 900mm | 275mm | 460 - 630mm | 460 - 620mm |
| BTC066040 | Swing Away - 530mm - Tilt & Recline | 1315 - 1485mm | 630mm | 530mm | 900mm | 275mm | 460 - 630mm | 460 - 620mm |

Swing Away Footrests

✓ Commode is registered in the ARTG, AUST R ARTG 286695



Padded seat and arms for maximum comfort



4x lockable castors maximise safety by providing carer access to a brake at all angles around the commode



Comes standard with pan and carrier

Integrated Features


- Super Heavy Duty Bariatric design with 790mm seat and 350kg SWL



- Anti-bacterial frame coating for improved infection control

- Removable arms to assist with positioning and allow lateral slide transfers

- Height adjustable, swing away footrests for optimal positioning and ease of transfers



| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|--------------------------|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC061200 | Bariatric Shower Commode | 990mm | 900mm | 790mm | 430mm | 170mm | 570mm | 570mm |

Attendant Propelled

✓ Commode is registered in the ARTG, AUSTRALIA ARTG 286695

Height adjustable, swing away footrests for optimal positioning and ease of transfers



4x total locking, height adjustable stainless steel castors provide brake access from all angles

Self Propelled

24 inch lightweight self propelling wheels with hand brakes and anti-tippers



Integrated Features

- Ideal for in home and community use
- Lightweight Aluminium design
- Easy clean, padded seat, back and arms



- Tool free height adjustment allows the commode to be easily adapted to varying needs



- Swing back comfort arms assist transfers
- Bowl and carrier for improved infection control



| Code | Description | Overall Height | Overall Width | Seat Width | Backrest Height | Armrest Height | Anterior Seat Height | Posterior Seat Height |
|-----------|---|----------------|---------------|------------|-----------------|----------------|----------------------|-----------------------|
| BTC068010 | Aluminium Commode - Attendant Propelled | 990 - 1040mm | 460mm | 440mm | 495mm | 220mm | 525 - 580mm | 525 - 580mm |
| BTC068020 | Aluminium Commode - Self Propelled | 970 - 995mm | 610mm | 440mm | 490mm | 235mm | 525 - 570mm | 525 - 580mm |

Warranty

✓ DVA Contracted

✓ AS / NZS Approved

1 YEAR WARRANTY COMPONENTS

5 YEAR WARRANTY CORROSION

Padded Commode Seats

DVA Contracted



- Moulded and seamless soft PU seats designed for comfort and durability
- Easy clean, fully sealed surface for infection control
- Choose the size appropriately to fit your Aspire Shower Commode
- Adaptable to most shower commode brands

M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost (GSP342405)

| Code | Description | Width |
|-----------|-------------|-------|
| BTC066600 | Open Seat | 460mm |
| BTC066700 | Closed Seat | 460mm |
| BTC066750 | Open Seat | 530mm |
| BTC066800 | Open Seat | 600mm |

Hand Made Pressure Reducing Commode Seats

DVA Contracted

- Hand made pressure care seat surface designed for comfort during extended use and pressure injury prevention
- European Dartex anti-microbial four-way stretch fabric is waterproof and breathable
- Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution
- Sealed seams for infection control management
- Adaptable seat attachment to suit all shower commode brands
- Max seat height: 65mm
- Fully customisable options to suit specific needs (see script form at www.aidacare.com.au or attached or on pages 10 and 11)



CUSTOMISATION AVAILABLE

| Code | Description | Width |
|-----------|----------------------------------|-------|
| BTC089122 | Pressure Reducing - Open Front | 320mm |
| BTC089124 | Pressure Reducing - Closed Front | 320mm |
| BTC089126 | Pressure Reducing - Open Front | 400mm |
| BTC089128 | Pressure Reducing - Closed Front | 400mm |
| BTC089130 | Pressure Reducing - Open Front | 460mm |
| BTC089140 | Pressure Reducing - Closed Front | 460mm |
| BTC089150 | Pressure Reducing - Open Left | 460mm |
| BTC089160 | Pressure Reducing - Open Right | 460mm |
| BTC089170 | Pressure Reducing - Open Front | 500mm |
| BTC089180 | Pressure Reducing - Closed Front | 500mm |
| BTC089190 | Pressure Reducing - Open Front | 550mm |
| BTC089200 | Pressure Reducing - Closed Front | 550mm |
| BTC089210 | Pressure Reducing - Open Front | 600mm |
| BTC089220 | Pressure Reducing - Closed Front | 600mm |
| BTC089230 | Pressure Reducing - Open Front | 650mm |
| BTC089240 | Pressure Reducing - Closed Front | 650mm |

| Code | Description |
|-----------|--|
| BTC089250 | Pressure Reducing - Customised (See Script Form) |

ROHO® Padded Seats



- High level pressure relief for high needs users
- Interconnected air cells help disperse pressure
- Includes cover
- Fully washable

| Code | Description |
|-----------|-----------------------------|
| BTC067500 | Closed Seat - 380mm x 425mm |
| BTC067900 | Closed Seat - 425mm x 425mm |
| BTC067600 | Closed Seat - 425mm x 470mm |
| BTC067300 | Closed Seat - 470mm x 470mm |

Self Propelling Conversion Kit

DVA Contracted




- Converts Attendant Propelled Shower Commodes into Self Propelling version - not compatible with Bariatric (BTC061200, BTC061400), Tilt & Recline (BTC066030, BTC066040) or Aluminium Shower Commodes (BTC068010, BTC068020).
- Self propelling kit includes:
 - 22" solid wheels with black spokes and push rims;
 - Quick release axles and mounting hardware;
 - Anti-tippers with roller wheels; and
 - Clamp-on hand brakes

| Code | Description |
|-----------|--------------------------------|
| BTC082900 | Self Propelling Conversion Kit |

✓ Shower Commode Accessories are registered in the ARTG, AUST R ARTG 286695

✓ All Aspire Shower Commode Accessories are DVA Contracted


Commode Bowl & Pan Carrier



- Stainless steel carrier slides easily into mobile shower commode frame under seat
- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

| Code | Description |
|-----------|-----------------------------|
| BTC066400 | Pan Carrier - 460mm - 600mm |

Commode Bowl & Bed Pan



- Assists in the collection of waste
- Bowl with lid & handle for discreet disposal
- Bowl washable to 95°
- Bed pan autoclavable

| Code | Description |
|-----------|-----------------------------|
| BTC081610 | Commode bowl w/lid & handle |
| BTT151800 | Bed Pan |

Elevating Legrests



- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

| Code | Description |
|------------|--|
| BTC067108M | Left (swing away commode models only) |
| BTC067109M | Right (swing away commode models only) |
| BTC067110M | Left (tilt and recline commode models only) |
| BTC067115M | Right (tilt and recline commode models only) |

Stump Support



- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except BTC061200, BTC068010 & BTC068020)
- Adaptable clamp fits most shower commode brands

| Code | Description |
|-----------|---------------|
| BTC067105 | Stump Support |

Advanced Headrest



- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable to other brands

| Code | Description |
|-----------|-------------------|
| BTC067050 | Advanced Headrest |

Lateral Supports



- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable clamp also fits other shower commode brands

| Code | Description |
|-----------|------------------|
| WCA867010 | Lateral Supports |

Oxygen Bottle Carrier



- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode brands

| Code | Description |
|-----------|-----------------------|
| BTC067200 | Oxygen Bottle Carrier |

Adjustable Pelvic Belt



- Adjustable belt to assist with pelvic and lower thoracic positioning and safety
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

| Code | Description |
|-----------|------------------------|
| BTC067100 | Adjustable Pelvic Belt |

Adjustable IV Pole



- Clamp-on stainless steel pole to organise intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

| Code | Description |
|-----------|--------------------|
| BTC067103 | Adjustable IV Pole |

Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:



1300 133 120



www.aidacare.com.au

Custom Made Shower Commode Seats - Script Form

Client Name: _____ Date: _____
 Phone: _____ Email: _____
 Address: _____ Fax: _____

Therapist Name: _____ Email: _____
 Phone: _____ Fax: _____

Aidacare Representative Name: _____ Email: _____

Please complete all relevant details below in **1** to **7** and send completed script form to commodeseats@aidacare.com.au

1 Please choose one: Order - Please provide order #: _____ **or** Quote Request

2 Which brand of shower commode will the seat be attached to? (Required for attachment type): _____

3 Choose your Fabric


PU Coated 4 way Stretch Fabric (Standard seat thickness 70mm with 30mm memory foam top layer)



Medical Grade White Vinyl (Standard seat thickness 50mm)




4 Choose your Seat Configuration (MUST CHOOSE ONE)



Closed Front Open Front Open Right Open Left


5 Optional Seat Configuration (CHOOSE ONE, BOTH OR NONE)



Right Bite (Not with Open Right) Left Bite (Not with Open Left)

6 Specify Relevant Seat Dimensions

| MEASURE | DIMENSIONS (MM) | MEASURE | DIMENSIONS (MM) |
|-----------------------|-----------------|--|-----------------|
| 1 Seat Width | | 8 Left Bite Depth (from side) | |
| 2 Seat Depth | | 9 Left Bite Opening | |
| 3 Hole Length | | 10 Right Bite from Rear | |
| 4 Hole Width | | 11 Right Bite Depth (from side) | |
| 5 Hole From Rear | | 12 Right Bite Opening | |
| 6 Hole Opening | | 13 Seat Thickness (Std for PU is 70mm / Vinyl is 50mm) | |
| 7 Left Bite from Rear | | | |



7 Additional Information - Notes: _____

Office Use Only:
 Received by: _____ Checked by: _____
 Completed by: _____ Completed date: _____
 Serial #/s: _____

Serial number for one seat = Order number (e.g. ORD00400500)
 Serial number for multiple seats on one order = Order number (e.g. ORD00400500-1, ORD00400500-2 etc)

ASPIRE SHOWER COMMODES
ACCESSORIES MATRIX

| | | | Accessories Fit Commode Code(s) | | | | | | | | | | | | | | | |
|--|-------------------------|------|---------------------------------|-----------|-----------|-----------|-----------|----------------------|-----------|-----------|-----------|-----------|-----------|----------------|-----------|-----------|-----------|-----------|
| Code | Accessories | DVA: | BTC066000 | BTC066200 | BTC066050 | BTC066055 | BTC061400 | BTC065900 | BTC066100 | BTC066060 | BTC066065 | BTC061300 | BTC061305 | BTC066030 | BTC066040 | BTC061200 | BTC068010 | BTC068020 |
| | | | WB Platform | | | | | Swing Away Footrests | | | | | | Tilt & Recline | | | Aluminium | |
| | | | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 | BE04 |
| Padded Seats | | | | | | | | | | | | | | | | | | |
| BTC066600 | 460mm Open | BE04 | | | | | | | | | | | | | | | | |
| BTC066700 | 460mm Closed | BE04 | | | | | | | | | | | | | | | | |
| BTC066750 | 530mm Open | BE04 | | | | | | | | | | | | | | | | |
| BTC066800 | 600mm Open | BE04 | | | | | | | | | | | | | | | | |
| Hand Made Pressure Seat - Customisation Available | | | | | | | | | | | | | | | | | | |
| BTC089130 | 460mm Open Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089140 | 460mm Closed Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089150 | 460mm Open Left | BE04 | | | | | | | | | | | | | | | | |
| BTC089160 | 460mm Open Right | BE04 | | | | | | | | | | | | | | | | |
| BTC089170 | 500mm Open Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089180 | 500mm Closed Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089190 | 550mm Open Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089200 | 550mm Closed Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089210 | 600mm Open Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089220 | 600mm Closed Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089230 | 650mm Open Front | BE04 | | | | | | | | | | | | | | | | |
| BTC089240 | 650mm Closed Front | BE04 | | | | | | | | | | | | | | | | |
| ROHO Padded Seat - Additional Accessory for Seats | | | | | | | | | | | | | | | | | | |
| BTC067500 | 425mm Closed | BE04 | | | | | | | | | | | | | | | | |
| BTC067900 | 425mm Closed | BE04 | | | | | | | | | | | | | | | | |
| BTC067600 | 470mm Closed | BE04 | | | | | | | | | | | | | | | | |
| BTC067300 | 470mm Closed | BE04 | | | | | | | | | | | | | | | | |
| Other Accessories | | | | | | | | | | | | | | | | | | |
| BTC082900 | Self Propelling Kit | BE04 | | | | | | | | | | | | | | | | |
| BTC066400 | Pan Carrier | BE04 | | | | | | | | | | | | | | | | |
| BTC081610 | Commode Bowl | BE04 | | | | | | | | | | | | | | | | |
| BTT151800 | Bed Pan | BE04 | | | | | | | | | | | | | | | | |
| BTC067108M | Elevating Leg Rest - L | BE04 | | | | | | | | | | | | | | | | |
| BTC067109M | Elevating Leg Rest - R | BE04 | | | | | | | | | | | | | | | | |
| BTC067110M | Elevating Leg Rest - L | BE04 | | | | | | | | | | | | | | | | |
| BTC067115M | Elevating Leg Rest - R | BE04 | | | | | | | | | | | | | | | | |
| BTC067105 | Stump Support | BE04 | | | | | | | | | | | | | | | | |
| BTC067050 | Advanced Head Rest | BE04 | | | | | | | | | | | | | | | | |
| WCA867010 | Lateral Support | BE04 | | | | | | | | | | | | | | | | |
| BTC067200 | Oxygen Bottle Carrier | BE04 | | | | | | | | | | | | | | | | |
| BTC067100 | Adjustable Pelvic Strap | BE04 | | | | | | | | | | | | | | | | |
| BTC067103 | Adjustable IV Pole | BE04 | | | | | | | | | | | | | | | | |

CRUTCHES, FRAMES & STICKS



SCOOTERS



OVERBED TABLES




BED STICKS & POLES



RAMPS



AIR MATTRESSES & FOAM MATTRESSES



COMMODOES, URINALS & BED PANS



LIFTERS & SLINGS



BEDS & BED POLES



DAILY LIVING AIDS



PRESSURE CARE SEATING



BATH BOARDS & BENCHES



SEAT WALKERS



POWER WHEELCHAIRS



PRESSURE CUSHIONS



LIFT & RECLINE CHAIRS



Distributed by:

